

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	95	load\$ near5 need same referenced	USPAT	OR	ON	2005/08/01 14:18
S2	1	load\$ near5 need same referenced. ab.	USPAT	OR	ON	2005/08/01 14:19
S3	11	load\$ near5 need same referenced and ("719".clas.)	USPAT	OR	ON	2005/08/01 14:25
S4	0	loading near5 need same referenced same library	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 14:25
S5	0	load near5 need same referenced same library	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 14:25
S6	60	load same referenced same library	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 14:44
S7	7	(719/331,332.ccls.) and component same third adj party	USPAT	OR	ON	2005/08/01 14:45
S8	3	(719/331,332.ccls.) and third adj party.ab.	USPAT	OR	ON	2005/08/01 14:46
S9	13	("717".clas.) and third adj party.ab.	USPAT	OR	ON	2005/08/01 14:50
S10	20	("717".clas.) and third adj party same load	USPAT	OR	ON	2005/08/01 14:54
S11	329	("717".clas.) and needed same load	USPAT	OR	ON	2005/08/01 14:54
S12	8	("717".clas.) and needed same load.ab.	USPAT	OR	ON	2005/08/01 14:55
S13	6	("717".clas.) and necessary same load.ab.	USPAT	OR	ON	2005/08/01 14:57
S14	2751	referenc\$ same stor\$ same library	USPAT	OR	ON	2005/08/01 14:59
S15	340	referenc\$ same stor\$ same library same load\$	USPAT	OR	ON	2005/08/01 15:00
S16	123	referenc\$ same stor\$ same library near5 load\$	USPAT	OR	ON	2005/08/01 16:42
S17	1	("5193180").PN.	USPAT	OR	OFF	2005/08/01 16:44
S18	5	((("6463581") or ("6470494") or ("6502109") or ("6536035") or ("6658421"))).PN.	USPAT	OR	OFF	2005/08/01 16:44



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"compatible" <near> "client" and "library" and " " - 2001

Ac  
Sc  
Sc

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar** [All articles](#) [Recent articles](#) Results 1 - 10 of about 15 for "**compatible**" <near> "**client**" and "**libra**

**All Results**

[H Levy](#)

[M Jordan](#)

[D Dillenger](#)

[M Atkinson](#)

[A Tiwary](#)

**Trace based method for the analysis, benchmarking and tuning of object oriented databases and ... - group of 3 »**

HM Levy, A Tiwary, VR Narasayya - US Patent 6,145,121, 2000 - Google Patents

... 74 GEN ERATE MODI FI ED DATABASE LAYOUT TRACE ... APPLICATION SI MU LATOR... of Class CYLINDER

:1 268973 Number of Objects of Class LINKS: 352852 **Client** Buffer Cache ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#)

**Building a Java virtual machine for server applications: The Jvm on OS/390 - group of 6 »**

D Dillenger, R Bordawekar, CW Clark, D Durand, ... - IBM Systems Journal, 2000 - research.ibm.com

... all aspects of the bus- iness—**client**, middle tier ... Java data types Floating point not **compatible** with OS ... the C portion of the Java **reference** implementation to ...

[Cited by 37](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

**Orthogonal Persistence for Java—A Mid-term Report - group of 11 »**

M Jordan, M Atkinson - Proceedings of the 3rd International Workshop on Persistence ..., 1998 - research.sun.com

... of object-oriented programming is that a **client** accesses an ... extensible transaction model is more **compatible** with the ... cation of the program, the **library** is not ...

[Cited by 53](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

**(PS) Reflection in Oberon - group of 10 »**

C Steindl - Proc. of the Joint Modular Languages Conference (JMLC'97). ..., 1997 - oberon.ssw.uni-linz.ac.at

... dissertation ([Tem94]), J. Templ implemented an experimental **version** of Oberon ... via new language constructs, but via a new **library**. ... 2.3 **Reference** Information ...

[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

**Issues Raised by Three Years of Developing PJama: An Orthogonally Persistent Platform for Java TM - group of 3 »**

MP Atkinson, MJ Jordan - LNCS 1540: Proceedings of the 7th International Conference on ..., 1999 - Springer

... oriented programming is that a **client** access an ... from the perspective of assignment **compatibility**, the programmer ... an active use of the **referenced** class occurred ...

[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

**Palmist: a tool to log Palm system activity - group of 8 »**

R Gannamaraju, S Chandra - Workload Characterization, 2001. WWC-4. 2001 IEEE ..., 2001 - ieeeexplore.ieee.org

... Representative **client** usage logs are invaluable in ... functions) are also indirectly **referenced** by other ... call DmCloseDatabase within the common logging **library**. ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

## EAST Search History

S19	6	((("5193180") or ("5815718") or ("5953534") or ("6289506") or ("6349344") or ("6397378")).PN.	USPAT	OR	OFF	2005/08/02 09:29
S25	9	bullock same lewis.xa,xp. and native.ab.	USPAT	OR	ON	2005/08/02 09:35
S26	2	((("6718535") or ("6748591")).PN.	USPAT	OR	OFF	2005/08/02 09:35
S27	0	"6918106".uref.	USPAT	OR	ON	2005/08/02 09:36
S28	182	metadata same library	USPAT	OR	ON	2005/08/02 09:37
S29	7	metadata same library.ab.	USPAT	OR	ON	2005/08/02 09:40
S30	20	metadata same library same load\$	USPAT	OR	ON	2005/08/02 09:45
S31	29	("717".clas.) and library same metadata	USPAT	OR	ON	2005/08/02 12:30
S32	5	loader same library same metadata	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 12:30
S33	52	class adj loader same library	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 15:35
S34	52	class adj loader same library	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 15:47
S35	0	class adj loader same device near5 profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:31
S36	11	class adj loader same profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:35
S37	48	class adj loader and profile same class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/04 16:35

## EAST Search History

S38	15	717/174-178.ccls. and referenced near2 application	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 14:53
S39	35	717/174-178.ccls. and referenced near2 application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 15:26
S40	6	(("5136705") or ("5442790") or ("5758160") or ("5956506") or ("5987245") or ("6139199")).PN.	USPAT	OR	OFF	2006/10/23 15:20
S41	8	717/174-178.ccls. and referenced same application same local	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 15:27
S42	6	717/174-178.ccls. and depend same application same local	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 15:29
S43	405	717/174-178.ccls. and application same local	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 15:37
S44	33	717/174-178.ccls. and application same local.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 15:29
S45	127	717/174-178.ccls. and application same local same components	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 16:06
S46	92	717/174-178.ccls. and application same download same components	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 16:28

## EAST Search History

S47	15	((("5212790") or ("5261095") or ("5339430") or ("5410698") or ("5613120") or ("5649204") or ("5706502") or ("5960204") or ("6185733") or ("6314566") or ("6591418") or ("5369766") or ("5408665") or ("5812927") or ("6732142"))).PN.	USPAT	OR	OFF	2006/10/23 16:22
S48	78	717/174-178.ccls. and program same download same components	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 16:47
S49	38	S48 not S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 16:29
S50	30	717/174-178.ccls. and load near5 list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 16:53
S51	6	717/174-178.ccls. and pre-execution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 16:55
S52	2	717/166.ccls. and pre-execution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 16:56
S53	5	717/166.ccls. and load near5 list	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 21:21
S54	2	((("5943496") or ("6202208"))).PN.	USPAT	OR	OFF	2006/10/23 17:04
S55	11	"6571388".uref.	USPAT	OR	ON	2006/10/23 17:04

## EAST Search History

S56	18	717/166.ccls. and download	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 21:26
S57	2	717/166.ccls. and profiling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 21:26
S58	26	"717".clas. and profiling same loading	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 21:29
S59	69	"717".clas. and preloading	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 21:29
S60	16	"717".clas. and preloading same (needed or referenced)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 21:32
S61	490	"717".clas. and loading same (needed or referenced)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 21:32
S62	23	"717".clas. and loading same (needed or referenced).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 21:41
S63	313	"717".clas. and (needed or referenced) near5 library	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 21:42

## EAST Search History

S64	16	"717".clas. and (needed or referenced) near5 library.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 22:11
S65	48	717/168-173.ccls. and resource.ab.	USPAT	OR	ON	2007/04/12 11:23
S66	30	717/162-178.ccls. and client near2 compatible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 12:15
S67	12	((("5644766") or ("5752042") or ("5778234") or ("5790664") or ("5897640") or ("5925127") or ("5930513") or ("5987504") or ("6006035") or ("6009401") or ("6029147") or ("6041333"))).PN.	USPAT	OR	OFF	2007/04/12 12:02
S68	5	((("5586304") or ("5768566") or ("5930514") or ("5966540") or ("6205527"))).PN.	USPAT	OR	OFF	2007/04/12 12:04
S69	15	"6389589".uref.	USPAT	OR	ON	2007/04/12 12:08
S70	1	"6523166".pn.	USPAT	OR	ON	2007/04/12 12:09
S71	7	((("5418554") or ("5581764") or ("5991877") or ("5995756") or ("6212536") or ("6345386") or ("6389589"))).PN.	USPAT	OR	OFF	2007/04/12 12:10
S72	6	717/162-178.ccls. and client same class adj store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 12:16
S73	504	717/162-178.ccls. and client and compatible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 12:16



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"compatible" and "library" and "loaded" and "v"  -  2001

Ac  
Sc  
Sc

The **"AND"** operator is unnecessary -- we include all search terms by default. [\[details\]](#)

**Scholar** [All articles](#) [Recent articles](#) Results 1 - 10 of about 12 for **"compatible" and "library" and "loaded"**

**All Results**

[H Levy](#)

[F Müller](#)

[A Tiwary](#)

[V Narasayya](#)

[H Hsiao](#)

[Developing architecture adaptive algorithms using simulation with MISS-PVM for performance ... - group of 2 »](#)

DF Kvasnicka, CW Ueberhuber - Proceedings of the 11th international conference on ..., 1997 - portal.acm.org

... scale machines (contention, synchronization, or **load** balancing) have ... For Fortran programs a **compatibility library** was crea ... kinds of MISS-PVM **library** routines: ...

[Cited by 6](#) - [Related Articles](#) - [Web Search](#)

[Trace based method for the analysis, benchmarking and tuning of object oriented databases and ... - group of 3 »](#)

HM Levy, A Tiwary, VR Narasayya - US Patent 6,145,121, 2000 - Google Patents

Page 1. United States Patent US006145121A [il] Patent Number: [45] Date of

Patent: Levy et al. [54] TRACE BASED METHOD FOR THE ANALYSIS ...

[Cited by 22](#) - [Related Articles](#) - [Web Search](#)

[MICA: A Memory and Interconnect Simulation Environment for Cache-based Architectures - group of 9 »](#)

HC Hsiao, CT King - Proceedings of the 33rd IEEE Annual Simulation Symposium, 2000 - doi.ieeeecs.org

... With the vast advances of x86-**compatible** microprocessors, personal computers (PCs) can now perform many tasks which were ... **Load Barrier** ... Machine dependent **library** ...

[Cited by 12](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[\[PS\] Distributed Shared Memory Threads: DSM-Threads, Description of Work in Progress - group of 6 »](#)

F Müller - Proceedings of the Workshop on Run-Time Systems for ..., 1997 - moss.csc.ncsu.edu

... a node using a history of **load** information and ... to heterogeneous support and backwards **compatibility** to Pthreads ... A **library** implementation of POSIX threads under ...

[Cited by 42](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Speculative Defragmentation-Leading Gigabit Ethernet to True Zero-Copy Communication - group of 10 »](#)

C Kurmann, F Rauch, TM Stricker - Cluster Computing, 2001 - Springer

... of a standard communication **library** for clus ... by the speculatively pre-**loaded** receive descriptor ... A first "backward **compatibility**" fallback scenario measures ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Advanced Interactive Executive Program Development Environment - group of 4 »](#)

RQC II, M Misra, RF Wolfe - IBM Systems Journal, 1987 - research.ibm.com

... used the system enhanced it by providing numerous tools in areas such as com- mand processors, interpretive languages, text proc- essing, **library** systems, and ...

[View as HTML](#) - [Web Search](#)



Modeling and Analysis of X86 Based Front End Architectures

SA Vlaović - 2001 - eecs.umich.edu

... performance and backward **compatibility**. ... reduced contention in the BTB by removing Dynamically Linked **Library** ... 25 Table 3.1: **Application trace** characteristics ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[book] Recent Advances in Parallel Virtual Machine and Message Passing Interface

VN Alexandrov, JJ Dongarra - 1998 - books.google.com

... on the instrumented communication functions **library**, but it can ... performance data, like the CPU **load** on a ... performance tool using OMIS-**compatible** monitoring facil ...

[Related Articles](#) - [Web Search](#) - [Library Search](#)

An object level transformation technique to improve the performance of embedded applications - group of 4 »

S Bartolini, CA Prete - Source Code Analysis and Manipulation, 2001. Proceedings. ..., 2001 - ieeexplore.ieee.org

... as the technique works at link time, **library** functions too can ... may have wider unused zones and the same **load** onto few ... of the area b is not **compatible** with the ...

[Related Articles](#) - [Web Search](#)

[book] ASP. Net: Tips, tutorials, and code - group of 10 »

S Mitchell - 2001 - books.google.com

... **Library** of Congress Catalog Card Number: 00-1 1 1729 ... Using Page\_Load: Executing Code

When a Page Is **Loaded** 82. ... 5. Creating Cross-Device-**Compatible** Mobile Pages ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

Google ►

Result Page: 1 2 [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google